Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 7/15/2021 Revision date: 7/1/2025 Version: 2.2

SECTION 1: Identification of the subs	tance/mixture and of the company	/undertaking	
1.1. Product identifier	anochnikture and of the company	, and critaking	
	HOUDINI LOCK LUBE (Aerosol)		
	NAICS 325998		
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against		
	Lubricant		
1.3. Details of the supplier of the safety da	ta sheet		
Protexall Products, Inc. 73356 Highway 41 Pearl River, LA 70452 - USA T (386) 668-5225			
1.4. Emergency telephone number			
Emergency number	1-800-458-2699		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mix	ture		
GHS-US classification Flammable Aerosol 1 Gases under pressure – liquefied gas Skin irritation 2 Skin sensitization 1 Aspiration toxicity 1			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US)	GHS02 GHS04 GHS07	GHS08	
Signal word (GHS-US)	Danger		
Hazard statements (GHS-US)	Extremely flammable aerosol. Contains gas irritation. May cause an allergic skin reaction		
Precautionary statements (GHS-US)	Keep away from heat/sparks/open flames/ho flame or other ignition source. Pressurized or hands thoroughly after handling. Wear protect Contaminated work clothing must not be allo of water. Take off contaminated clothing and Get medical advice/attention. If swallowed: In induce vomiting. Protect from sunlight. Do no Store in a well-ventilated place. Store locked with all local, regional, national and internation	ontainer: Do not p ctive gloves. Avoid wed out of the wo wash it before rei nmediately call a t expose to tempe up. Dispose of co	ierce or burn, even after use. Wash d breathing gas/mist/vapors/spray. rkplace. If on skin: Wash with plenty use. If skin irritation or rash occurs: poison center/doctor. Do NOT eratures exceeding 50 °C/122 °F.
2.3. Other hazards			
No additional information available			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Trade Secret solvent 1	Trade Secret	10 - 30	Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Asp. Tox. 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Name	Product identifier	%	GHS-US classification
Trade Secret solvent 2	Trade Secret	30 - 60	Flam. Liq. 3 Asp. Tox. 1
Petroleum gases, liquefied, sweetened	(CAS No) 68476-86-8	15 - 40	Flam. Gas 1 Liquefied gas
Trade Secret base oil 1	Trade Secret	5 - 15	Asp. Tox. 1
Trade Secret base oil 2	Trade Secret	5 - 15	Asp. Tox. 1
Trade Secret base oil 3	Trade Secret	< 5	Acute Tox. 4 (Oral)

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	 In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation :	May cause respiratory tract irritation.
Symptoms/injuries after skin contact	 Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Powder, water fog, foam, carbon dioxide.
Unsuitable extinguishing media	: Straight streams of water.
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back.

SECTI	SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective equ	ipment and emergency procedures	
General	measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.	
6.2.	Methods and material for containment	nt and cleaning up	
For cont	ainment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods	for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.	
6.3.	Reference to other sections		
Soo 600	See section 8 for further information on protective electring and equipment and section 13 for advise on waste disposal		

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	: Keep away from sources of ignition No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Avoid breathing gas/mist/vapours/spray. Do not swallow. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.
Hygiene	emeasures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2.	Conditions for safe storage, includin	g any incompatibilities
Storage	conditions	: Keep locked up and out of reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store away from direct sunlight or other heat sources. Store in a well-ventilated place.

Specific end use(s) 7.3.

Not available.

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters**

Trade Secret solvent 1		
ACGIH	Not applicable	
OSHA Not applicable		

Trade Secret solvent 2	
ACGIH	Not applicable
OSHA	Not applicable

Petroleum gases, liquefied, sweetened (68476-86-8)		
ACGIH	ACGIH TWA (ppm)	1000 ppm
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	Not applicable	

Trade Secret base oil 1	
ACGIH	Not applicable
OSHA Not applicable	

Trade Secret base oil 2	
ACGIH	Not applicable
OSHA	Not applicable

Trade Secret base oil 3	
ACGIH Not applicable	
OSHA	Not applicable

8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical and	I chemical properties
Physical state	: Gas/Pressurized Liquid
Appearance	: Aerosol
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7609 g/cm ³
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 1.038 cSt @ 40 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
Additional information	: Heat of Combustion: 42.78 kJ/g

Additional information

Heat of Combustion: 42.78 kJ/g Flame Projection Ignition: 90 cm

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use. Image: Condition of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products May include, and are not limited to: oxides of carbon.

SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity

: Not classified.

HOUDINI LOCK LUBE (Aerosol)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	No data available

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Serious eye damage/irritation: Based on available data, the classification criteria are not met.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Trade Secret solvent 1	HOUDINI LOCK LUBE (Aerosol)	
LD50 oral rat 4400 mg/kg LD50 demain rabbit > 5 g/kg Tade Secret solvent 2 LD50 demain rabbit > 5000 mg/kg LD50 demain rabbit > 2000 mg/kg LD50 demain rabbit > 5.2 mg/l/kh Petroleum gases, liquefied, sweetened (68476-66-8) LD50 demain rabbit > 5.2 mg/l/kh Tade Secret base oil 1 LD50 demain rabbit > 5.000 mg/kg LD50 demain rabbit > 2000 mg/kg LD50 demain rabbit > 8000 mg/kg	LC50 inhalation rat	> 5 mg/l/4h
LD50 demai rabbit > 5 g/kg Trade Secret solvent 2 > 5000 mg/kg LD50 demai rabbit > 5000 mg/kg LD50 demai rabbit > 52.2 mg/l/4h LD50 demai rabbit > 52.2 mg/l/4h LC50 inhalation rat 658 mg/l/4h Trade Secret base oil 1 LD50 demai rabbit > 1500 mg/kg LD50 demai rabbit > 5000 mg/kg LD50 demai rabbit > 2000 mg/kg LD50 demai rabbit > 2000 mg/kg LD50 and rat 1750 mg/kg LD50 enhalation rat 1750 mg/kg LD50 enhalation rat 1750 mg/kg LD50 enhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Seriot arg of kin sensitisation : Based on available data, the classification criteria are not met. Respiratory	Trade Secret solvent 1	
Trade Secret solvent 2 LD50 dernal rabbit > 5000 mg/kg LD50 dernal rabbit > 5.2 mg/kh Petoleum gases, liquefied, sweetened (68476-86-9) LC50 inhalation rat > 55.2 mg/kh Petoleum gases, liquefied, sweetened (68476-86-9) LC50 inhalation rat > 55.2 mg/kh LC50 inhalation rat > 15000 mg/kg LC50 inhalation rat > 5.53 mg/kh Trade Secret base oil 1 LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat > 2000 mg/kg LD50 oral rat > 2000 mg/kg LD50 oral rat > 2000 mg/kg LD50 oral rat 39000 mg/kg LD50 oral rat 2 8000 mg/kg LD50 oral rat 2 8000 mg/kg LD50 oral rat 2 1000 mg/kg LD50 oral rat 2 8000 mg/kg LD50 oral rat 2 1000 mg/kg LD50 oral rat 2 1 mg/kh	LD50 oral rat	4400 mg/kg
LD50 oral rat > 5000 mg/kg LD60 dermal rabbit > 2000 mg/kg LC50 inhalation rat > 5.2 mg/l4h Petroleum gases, liquefied, sweetened (68476-86-8) LC50 inhalation rat E58 mg/l4h Trade Secret base oil 1 LD50 oral rat > 15000 mg/kg LD50 oral rat > 5000 mg/kg LD50 oral rat 2 1760 mg/kg LD50 oral rat 1780 mg/kg LD50 oral rat 1780 mg/kg LD50 oral rat 2 1 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious sey damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ coll mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Sepcrit target organ toxicity (s	LD50 dermal rabbit	> 5 g/kg
LD50 dermal rabbit > 200 mg/kg LC50 inhalation rat > 5.2 mg/l4h Petroleum gases, liquefied, sweetened (68476-86-8)	Trade Secret solvent 2	
LD50 dermal rabbit > 200 mg/kg LC50 inhalation rat > 5.2 mg/l4h Petroleum gases, liquefied, sweetened (68476-86-8)	LD50 oral rat	> 5000 mg/kg
Petroleum gases, liquefied, sweetened (68476-86-8) LC50 inhalation rat 658 mg/l/4h Trade Secret base oil 1 LD50 oral rat > 15000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 inhalation rat > 553 mg/l/4h Trade Secret base oil 2 LD50 dermal rabbit > 2000 mg/kg LD50 dermal rabbit > 2000 mg/kg LD50 dermal rabbit > 2000 mg/kg	LD50 dermal rabbit	
LC50 inhalation rat 658 mg/l/4h Trade Secret base oil 1 > 15000 mg/kg LD50 dernal rabbit > 5000 mg/kg LC50 inhalation rat > 5.53 mg/l/4h Trade Secret base oil 2 > LD50 dernal rabbit > 5000 mg/kg LD50 oral rat 3000 mg/mg/4h Trade Secret base oil 3 > LD50 oral rat 1750 mg/kg LD50 oral rat 21 mg/l/1h Skin corrosion/irritation : Based on available data, the classification criteria are not met. Respiratory or kin sensitisation : May cause an allergic kin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IAC classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data,	LC50 inhalation rat	
LC50 inhalation rat 658 mg/l/4h Trade Secret base oil 1 > 15000 mg/kg LD50 dernal rabbit > 5000 mg/kg LC50 inhalation rat > 5.53 mg/l/4h Trade Secret base oil 2 > LD50 dernal rabbit > 5000 mg/kg LD50 oral rat 3000 mg/mg/4h Trade Secret base oil 3 > LD50 oral rat 1750 mg/kg LD50 oral rat 21 mg/l/1h Skin corrosion/irritation : Based on available data, the classification criteria are not met. Respiratory or kin sensitisation : May cause an allergic kin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IAC classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data,	Petroleum gases, liquefied, sweetened (68476	5-86-8)
LD50 oral rat > 15000 mg/kg LD50 oral rat > 5000 mg/kg LC50 inhalation rat > 5.83 mg/l/4h Trade Secret base oil 2		
LD50 dermal rabbit > 5000 mg/kg LC50 inhalation rat > 5.53 mg/i/dh Trade Secret base oil 2	Trade Secret base oil 1	
LD50 dermal rabbit > 5000 mg/kg LC50 inhalation rat > 5.53 mg/l/4h Trade Secret base oil 2	LD50 oral rat	> 15000 ma/kg
LC50 inhalation rat > 5.53 mg/l/4h Trade Secret base oil 2	LD50 dermal rabbit	
LD50 oral rat > 5000 mg/kg LD50 dermal rabbit > 2000 mg/kg LC50 inhalation rat 3900 mg/m ² /4h Trade Secret base oil 3 Intervent and the secret base oil 3 LD50 oral rat 1750 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. MAR group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) <	LC50 inhalation rat	
LD50 oral rat > 5000 mg/kg LD50 dermal rabbit > 2000 mg/kg LC50 inhalation rat 3900 mg/m ² /4h Trade Secret base oil 3 Intervent and the secret base oil 3 LD50 oral rat 1750 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. MAR group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) <	Trade Secret base oil 2	
LD50 dermal rabbit > 2000 mg/kg LC50 inhalation rat 3900 mg/m³/4h Trade Secret base oil 3 1750 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 1750 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IARC group IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.<		> 5000 mg/kg
LC50 inhalation rat 3900 mg/m³/4h Trade Secret base oil 3 ID50 oral rat LD50 oral rat 1750 mg/kg LD50 inhalation rat 21 mg/l/1 Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Gern cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IARC group IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Aspiration hazard : May be fatal if swallowed and enters airways. Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries af	LD50 dermal rabbit	> 2000 mg/kg
LD50 oral rat 1750 mg/kg LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IARC group IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Aspiration hazard : May be fatal if swallowed and enters airways. Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and	LC50 inhalation rat	* *
LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Gern cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IARC group IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Symptoms/injuries after inhalation : May cause respiratory tract irritation.	Trade Secret base oil 3	
LD50 dermal rabbit > 8000 mg/kg LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 IARC group IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Aspiration hazard : May cause respiratory tract irritation. Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after eye contact : May cause eve irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. <		1750 ma/ka
LD50 inhalation rat 21 mg/l/1h Skin corrosion/irritation : Causes skin irritation. Beespiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. Trade Secret solvent 1 . IARC group 3 - Not classifiable National Toxicology Program (NTP) Status 1 - Evidence of Carcinogenicity Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after eye contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Symptoms/injuries after eye contact : May cause eye ir		
Serious eye damage/irritation: Based on available data, the classification criteria are not met.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Trade Secret solvent 1: Based on available data, the classification criteria are not met.IARC group3 - Not classifiableNational Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May cause respiratory tract irritation.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after inpestion: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vom		
Serious eye damage/irritation: Based on available data, the classification criteria are not met.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Trade Secret solvent 1	L	~
Respiratory or skin sensitisation: May cause an allergic skin reaction.Gern cell mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Trade Secret solvent 1IARC groupIARC group: Sased on available data, the classification criteria are not met.National Toxicology Program (NTP) Status: Eased on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May cause respiratory tract irritation.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include redness, nause or vomiting.Symptoms/injuries after ingestion: May cause eye irritation. Symptoms may include hiscomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cracking and subschedeness and swelling.	Skin corrosion/irritation	: Causes skin irritation.
Germ cell mutagenicity Carcinogenicity: Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met.Trade Secret solvent 1IARC group3 - Not classifiableNational Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: May cause respiratory tract irritation.Symptoms/injuries after skin contact: May cause eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.Trade Secret solvent 1IARC group3 - Not classifiableNational Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause eye irritation.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways.Symptoms/injuries after ingestion: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Trade Secret solvent 1IARC group3 - Not classifiableNational Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
IARC group3 - Not classifiableNational Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after eye contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Carcinogenicity	: Based on available data, the classification criteria are not met.
National Toxicology Program (NTP) Status1 - Evidence of CarcinogenicityReproductive toxicity: Based on available data, the classification criteria are not met.Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Trade Secret solvent 1	
Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met. Aspiration hazard : May be fatal if swallowed and enters airways. Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	IARC group	3 - Not classifiable
Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways.	National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity
Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways.	Reproductive toxicity	Based on available data the classification criteria are not met
Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		
Aspiration hazard: May be fatal if swallowed and enters airways.Symptoms/injuries after inhalation: May cause respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.Symptoms/injuries after eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestion: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		
Symptoms/injuries after inhalation : May cause respiratory tract irritation. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		
 Symptoms/injuries after skin contact Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. Symptoms/injuries after eye contact May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. 	•	
Symptoms/injuries after eye contactof the skin. May cause an allergic skin reaction.Symptoms/injuries after ingestionMay cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.Symptoms/injuries after ingestionMay be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		
symptoms/injuries after ingestion production, with possible redness and swelling. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Symptoms/injuries after skin contact	of the skin. May cause an allergic skin reaction.
cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	Symptoms/injuries after eye contact	
SECTION 12: Ecological information	Symptoms/injuries after ingestion	
	SECTION 12: Ecological information	

12.1.	Toxicity	
Ecology - general : May cause long-term adverse effects in the aquatic environment		: May cause long-term adverse effects in the aquatic environment.
12.2.	Persistence and degradability	
HOUDINI LOCK LUBE (Aerosol)		
Persist	ence and degradability	Not established.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

HOUDINI LOCK LUBE (Aerosol) Bioaccumulative potential 2.4. Mobility in soil o additional information available	Not established.
	· · ·
2.5. Other adverse effects	
ffect on the global warming	: No known ecological damage caused by this product.
ECTION 13: Disposal considerati	ions
3.1. Waste treatment methods	
aste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
dditional information	: Flammable vapours may accumulate in the container.
ECTION 14: Transport information	on de la constant de
accordance with DOT	
N-No.(DOT)	: UN1950
roper Shipping Name (DOT)	: AEROSOLS, flammable, limited quantities
epartment of Transportation (DOT) Hazard lasses	: 2.1
azard labels (DOT)	
dditional information	
ther information	: No supplementary information available.
pecial transport precautions	: Do not handle until all safety precautions have been read and understood.
ECTION 15: Regulatory informati	on

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. US State regulations

HOUDINI LOCK LUBE (Aerosol)	
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer,
	birth defects or other reproductive harm.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Issue date : 7/15/2021	SECTION 16: Other inform	on	
Issue date : 7/15/2021	according to the Hazard Communic	n Standard (CFR29 1910.1200) HazCom 2012	
	Issue date	: 7/15/2021	
Revision date : 7/1/2025	Revision date	: 7/1/2025	
Other information : None.	Other information	: None.	

Full text of H-statements

Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Aerosol 1	Flammable aerosols, Category 1
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

PFAS Disclosure:

PFAS-Free: This product is not formulated with per- and polyfluoroalkyl substances (PFAS).

Indication of changes:

Disclosure revision.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.