Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Issue date: 1/20/2025 Revision date: 7/1/2025 Version: 2.2

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	: Mixture : SUPERSLICKSLICKSTUFFCA (Aerosol) : NAICS 325998
1.2. Recommended use and restrictions	s on use
Use of the substance/mixture	: Lubricant
1.3. Supplier	
Manufacturer Protexall Products, Inc. 73356 Highway 41 Pearl River, LA 70452 - USA T (386) 668-5225	
1.4. Emergency telephone number	
Emergency number	: 1-800-458-2699
SECTION 2: Hazard(s) identificatior	ı
2.1. Classification of the substance or r	nixture
GHS US classification	
Flam. Aerosol 1 Press. Gas (Liq.) Skin Irrit. 2 Skin Sens. 1 Asp. Tox. 1	Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.
2.2. GHS Label elements, including pre-	cautionary statements
GHS US labelling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	 Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements (GHS US)	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Do NOT induce vomiting.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Store locked up.
Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container to hazardous or special waste collection point, in accordance with
local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Trade Secret solvent 1	Trade Secret	25 - 70
Trade Secret solvent 2	Trade Secret	10 – 25
Trade Secret base oil 1	Trade Secret	10 - 30
Trade Secret base oil 2	Trade Secret	10 - 30
Trade Secret base oil 3	Trade Secret	< 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Neve give anything by mouth to an unconscious person.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skir May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	media		
Suitable extinguishing media Unsuitable extinguishing media	Powder, water fog, foam, carbon dioxide.Do not use water jet.		
5.2. Specific hazards arising from the chemical			
Fire hazard	 Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns 		
Explosion hazard	and injuries. May form flammable/explosive vapour-air mixture. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.		
5.3. Special protective equipment and precautions for fire-fighters			
Firefighting instructions	: Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray.		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate every possible source of ignition. Use only non-sparking tools. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
	: Stop leak if safe to do so. Remove all sources of ignition. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection".

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Hazardous waste due to potential risk of explosion. Keep away from sources of ignition No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Avoid breathing gas/mist/vapours/spray. Do not swallow. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Handle and open container with care. 	
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep out of reach of children. Store locked up. Keep in fireproof place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store away from direct sunlight or other heat sources. Keep away from clothing and other combustible materials. Store tightly closed in a dry, cool and 	

well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
SUPERSLICKSLICKSTUFFCA (Aerosol)		
No additional information available		
Trade Secret solvent 2		
USA - AIHA - Occupational Exposure Limits		
WEEL TWA [ppm]	30 ppm	
Trade Secret solvent 1		
No additional information available		
Trade Secret base oil 1		
No additional information available		
Trade Secret base oil 2		
No additional information available		
Trade Secret base oil 3		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls Environmental exposure controls	 Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits. Avoid release to the environment. 	

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Eye protection:	
Safety glasses or goggles are recommended when using product.	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, t hazards of the product and the safe working limits of the selected respirator.	

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

9.1. Information on basic physical and	chemical properties
Physical state	: Gas/Pressurized Liquid
Appearance	: Aerosol.
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.7609 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 1.038 mm²/s @ 40 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

Additional information

: Heat of Combustion: 42.78 kJ/g Flame Projection Ignition: 90 cm

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

10.2. Chemical stability

Stable under normal conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

Not classified. Not classified. Not classified.		
> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)		
> 5 g/kg		
Trade Secret solvent 1		
> 5000 mg/kg		
> 2000 mg/kg		
> 5.2 mg/l/4h		
> 15 g/kg		
> 5000 mg/kg		
> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
3900 mg/m³ (Exposure time: 4 h)		
Trade Secret base oil 3		
418 mg/kg		
Causes skin irritation. Not classified. May cause an allergic skin reaction. Not classified. Not classified.		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Trade Secret solvent 2		
IARC group	3 - Not classifiable	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity	
Trade Secret base oil 3		
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:	
NOAEL (chronic, oral, animal/female, 2 years)	75 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:	
Reproductive toxicity	: Not classified.	
Trade Secret solvent 1		
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male	
STOT-single exposure STOT-repeated exposure	Not classified.Not classified.	
Trade Secret solvent 1		
NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female	
NOAEC (inhalation, rat, vapour, 90 days)	≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28- Day Study)	
Trade Secret base oil 1		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
Trade Secret base oil 2		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
Aspiration hazard Viscosity, kinematic	: May be fatal if swallowed and enters airways. : 1.038 mm²/s @ 40 °C (68 °F)	
Symptoms/effects after inhalation Symptoms/effects after skin contact	 May cause irritation to the respiratory tract. Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skir May cause an allergic skin reaction. 	
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.	

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : May cause long-term adverse effects in the aquatic environment. Trade Secret solvent 2 LC50 - Fish [1] 720 µg/l Test organisms (species): Pimephales promelas EC50 - Crustacea [1] 0.36 mg/l Test organisms (species): Daphnia magna LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) NOEC (chronic) 0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012


Trade Secret solvent 1		
LC50 - Fish [1]	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
Trade Secret base oil 1		
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Trade Secret base oil 2		
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
SUPERSLICKSLICKSTUFFCA (Aerosol)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
SUPERSLICKSLICKSTUFFCA (Aerosol)		
Bioaccumulative potential	Not established.	
Trade Secret solvent 1		
BCF - Fish [1]	61 – 159	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information :	No other effects known.	
SECTION 13: Disposal considerations		
13.1. Disposal methods		
	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible. Flammable vapours may accumulate in the container. Container under pressure. Do not drill or	

SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
DOT NA No	: UN1950
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Aerosols (Limited Quantity)

burn even after use.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012



Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Issue date	:	01/20/2025
Revision date	:	07/1/2025
Other information	:	None.

Full text of H-statements		
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Aerosol 1	Flammable aerosols, Category 1	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Full text of H-statements		
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

PFAS Disclosure:

PFAS-Free: This product is not formulated with per- and polyfluoroalkyl substances (PFAS).

Indication of changes:	
Disclosure revision.	

Safety Data Sheet (SDS), USA - 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.